

Tandem rollers from Conplant



Need to hire a tandem roller for your next job? We've got it!

Take your pick from Australia's most comprehensive roller hire range.

With smooth drum tandem rollers from 1.5t to 14t, and a footprint all over Australia, you're never too far from your nearest Conplant branch and our personal, friendly and reliable service and parts teams.

Choose your weight class and let's get to work. Give us a call on 1300 166 166.



Why hire from Conplant?

-  Delivery all over Australia
-  Hire for a day, a week or months
-  Vibrating drums for smooth finish and great compaction
-  Sprinkler system to add moisture and reduce asphalt sticking to drums
-  Available with Roll Over Preventative System - ROPS2
-  Delivered with a full tank of fuel
-  Safety checked to ensure your safety
-  Operation manual and risk assessment documentation supplied



1-2 tonnes

Perfect for small construction jobs including most maintenance applications.



Key features

The smallest ride-on rollers available. These compact and maneuverable rollers boast small turning circles to get you where you need to go, and fit on a trailer or small tilt tray for easy transport. All come with pressurised water sprinkler systems and drum scrapers. Offset drum available for curb applications and single drum vibration.

Applications

Ideal for compaction of road base and asphalt finishes. Best for applications with limited space including driveways, footpaths, garden sheds and other urban/inner city applications.

Operating Weight:	Overall Width:	Overall Height:	Overall Length:	Rolling Width:
1480–1730 kg	1015–1056 mm	2210–2604 mm	1970–2360 mm	800–1055 mm

2-3 tonnes

For small to medium-sized construction jobs including patchwork on asphalt.



Key features

Compact and maneuverable with a good turning circle, yet large enough for work on the construction site. All come with pressurised water sprinkler systems and drum scrapers. Offset drum available for curb applications, dual drum vibration and drive. Compact design for easy loading.

Applications

Ideal for compaction of road base and asphalt finishes. Best on small to medium-sized construction sites, driveways, footpaths, garden sheds and other urban/inner city repair work.

Operating Weight:	Overall Width:	Overall Height:	Overall Length:	Rolling Width:
2650–2940 kg	1129–1334 mm	2450–3000 mm	2400–2950 mm	1000–1250 mm



hire



sales



parts



service

4-5 tonnes

A great all-rounder for construction and maintenance.



Key features

Great compaction performance. Our 4-5 tonne rollers are compact and maneuverable yet large enough to keep up with production on construction sites. All come with a pressurised water sprinkler system and spring-loaded drum scrapers. Offset drum available for curb applications, dual drum vibration and drive.

Applications

Compaction of sub grades, road base and asphalt finishes. Ideal for following a small asphalt paver on medium sized construction sites, roadways and driveways.

Operating Weight:	Overall Width:	Overall Height:	Overall Length:	Rolling Width:
4000–4950 kg	1341–1506 mm	2615–3050 mm	2400–3324 mm	1300–1430 mm

7-9 tonnes

For when it's important to keep up with incoming gravel, road base or asphalt.



Key features

Great compaction performance. Large enough to keep up with production on construction sites thanks to the larger diameter drums and high-frequency vibration settings. All come with pressurised water sprinkler system and spring-loaded drum scrapers. Offset drum available for curb applications, dual drum vibration and drive. Closed air-conditioned cabins available, ideal for civil works.

Applications

Ideal for compaction of sub grades, road base and asphalt finishes. Suitable for commercial applications and higher production jobs where it's important to keep up with incoming materials - for example, following an asphalt paver on roadways, construction sites, large parking areas or large driveways.

Operating Weight:	Overall Width:	Overall Height:	Overall Length:	Rolling Width:
6803–8200 kg	1341–2067 mm	2890–3300 mm	4300–4520 mm	1340–1815 mm



hire



sales




parts



service

9-14 tonnes

Use these to finish off your roads ready for sealing.



Key features

Great compaction performance with high output for big jobs. Larger diameter drums and articulated steering. All come with a pressurised water sprinkler system and spring-loaded drum scrapers. Offset drum available for curb applications, dual drum vibration and drive. Closed air-conditioned cabins available, ideal for civil works.

Applications

Ideal for compaction of sub grades, road base, foam-stabilised pavements and asphalt finishes on large jobs. Suitable for commercial applications and higher production jobs where it's important to keep up with incoming materials - for example, local transport construction on major road projects and highways including both residential and industrial areas.

Operating Weight:	Overall Width:	Overall Height:	Overall Length:	Rolling Width:
9470–13150 kg	1800–2145 mm	3000–3300 mm	4610–5620 mm	680–1980 mm



We've got you covered.



To hire a tandem roller, get in touch with your nearest Conplant branch and speak to our friendly expert staff, or email us for a quote: info@conplant.com.au



Sydney (Corporate Office)

25 York Road
Ingleburn NSW 2565
[02] 9933 3100



Hunter Valley

Lot 10 Johnson Avenue
Weston NSW 2326
[02] 9933 3180



Coffs Harbour

29 Isles Drive
Coffs Harbour NSW 2450
[02] 9933 3170



Dubbo

32 Purvis Lane
Dubbo, NSW 2830
1300 166 166



Brisbane

Empire Industrial Estate
240 Peachey Road
Yatala QLD 4207
[07] 3287 0500



Sunshine Coast

21 Avian St
Kunda Park QLD 4556
[07] 3287 0585



Toowoomba

13129 New England Hwy
Cambooya QLD 4358
0437 266 266 Sales
0427 763 947 Ops



Melbourne

20-34 Walpole Parade
Norlane VIC 3214
1300 166 166



Adelaide

44 Plymouth Road
Wingfield SA 5013
[08] 9224 9950



Perth

38 Truganina Rd
Malaga WA 6090
[08] 9224 9900



Conplant



hire



sales



parts



service

www.conplant.com.au | 1300 166 166